

MATERIAL SPECIFICATION

Producer: HOFFMANN MINERAL GmbH & Co. KG
 P.O. Box 14 60 • D-86619 Neuburg (Donau)
 Phone (+49-84 31) 53-0 • Fax (+49-84 31) 53-3 30
 Internet: www.hoffmann-mineral.com
 Email: info@hoffmann-mineral.com

Commercial product name: **SILLITIN N 82**

Chemical analysis: SiO₂ – Al₂ [(OH)₄Si₂O₅] mixture
 silica kaolinite

Delivery form: Powder

Storage stability: unlimited

| Characteristics | Test method | Based on | Specification |
|--|--------------|------------------------|------------------------------|
| Brightness Y | UGR-PV/PT 69 | DIN 53 163 | 74.0 – 79.0 |
| Residue > 40 µm > 200 µm | UGR-PV/PT 43 | DIN ISO 787 part 18 | ≤ 60 [mg/kg] ≤ 10 [mg/kg] |
| pH-value | UGR-PV/PT 61 | DIN ISO 787 part 9 | 7.0 – 9.2 |
| Volatile matter at 105 °C RT 20°C / RH 50 % | UGR-PV/PT 41 | DIN ISO 787 part 2 | ≤ 0.8 [%] |
| Electrical conductivity | UGR-PV/PT 57 | DIN ISO 787 part 8 | ≤ 100 [µS] |
| Particle size distribution d ₅₀ d ₉₇ | UGR-PV/PT 72 | | ≤ 4.3 [µm] ≤ 22.0 [µm] |

Issued by:

QA / Dirk Schröder

Approved by:

Head of R&D, QM / Dr. Christian Seeger

(automatically generated document – valid without signature)